

HIV/AIDS DATA

WASHTENAW COUNTY RESIDENTS

Newly diagnosed HIV cases:

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|---|------|------|------|------|------|------|------|
| Total HIV cases | 19 | 17 | 20 | 28 | 31 | 27 | 29 |
| Male | 13 | 12 | 17 | 22 | 24 | 24 | 24 |
| Female | 6 | 5 | 3 | 6 | 7 | 3 | 5 |
| Black | 10 | 6 | 10 | 12 | 17 | 10 | 14 |
| White | 8 | 8 | 9 | 13 | 11 | 15 | 13 |
| Age 15 to 29 yr | 6 | 7 | 3 | 11 | 13 | 9 | 4 |
| Anonymous cases (included in total HIV) | 4 | 5 | 6 | 5 | 6 | 3 | 1 |

Highest zip codes for new HIV cases:

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|--------------|------|------|------|------|------|------|------|
| 48197 | 32% | 19% | 30% | 14% | 23% | 52% | 21% |
| 49198 | 31% | 12% | 15% | 27% | 38% | 15% | 34% |

Reported risk factors in new HIV cases:

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|---------------------------|------|------|------|------|------|------|------|
| MSM¹ | 26% | 53% | 65% | 50% | 52% | 70% | 64% |
| Bisexual male | 5% | 12% | 10% | 11% | 16% | 19% | 21% |
| IV Drug Use | 5% | 0% | 10% | 7% | 3% | 7% | 0% |
| Hetero, high risk* | 32% | 18% | 5% | 4% | 13% | 7% | 7% |
| Hetero, low risk** | 26% | 24% | 10% | 21% | 29% | 15% | 29% |
| Hx. Blood products | 9% | 5% | 0% | 5% | 0% | 0% | 0% |

¹MSM = Men who have sex with men

*Hetero, high risk = Heterosexual sex with IDU, known HIV+ partner, bisexual male, sex worker etc.

**Hetero, low risk = Heterosexual sex with no other risk identified

Note: Risk percentages are calculated in relation to the total number of cases. Risk percentages may add up to more or less than 100% due to some individuals having more than one risk and others having none identified.

Note: HIV+ data include anonymous and confidential cases, and exclude prison cases.

New AIDS cases:

| | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 |
|------------------------|------|------|------|------|------|------|------|
| Total new cases | 11 | 10 | 16 | 6 | 12 | 19 | 14 |
| Male | 6 | 9 | 14 | 5 | 10 | 15 | 12 |
| Female | 5 | 1 | 2 | 1 | 2 | 4 | 2 |
| Black | 6 | 4 | 7 | 4 | 4 | 10 | 6 |
| White | 5 | 5 | 8 | 2 | 7 | 7 | 6 |
| Co-diagnosis*** | 16% | 24% | 45% | 11% | 6% | 22% | 21% |

*** Co-diagnosis = Proportion of HIV cases diagnosed with AIDS within 3 months of initial HIV diagnosis.