

REPORTABLE DISEASES IN MICHIGAN

A Guide for Physicians, Health Care Providers and Laboratories

The following is a list of conditions that should be reported to the local health department without delay if the agent is identified by clinical diagnosis, direct examination, culture, serology, molecular techniques or by histopathology.

| | |
|---|---|
| Acquired Immunodeficiency Syndrome (AIDS) | Leptospira species |
| Avian influenza | Legionella species |
| Bacillus anthracis (Anthrax) | Listeria monocytogenes |
| Blastomyces dermatitidis | Meningitis, viral |
| Bordetella pertussis (Pertussis) | Meningitis, bacterial |
| Borrelia burgdorferi (Lyme Disease) | Measles virus (Rubeola) |
| Brucella species | Mumps virus |
| Burkholderia pseudomallei | Mycobacterium bovis |
| Burkholderia mallei | Mycobacterium leprae (Leprosy) |
| Calymmatobacterium granulomatis | Mycobacterium tuberculosis (Tuberculosis) |
| Campylobacter jejuni | Neisseria gonorrhoeae (Gonorrhea) |
| Chlamydia psittaci (Psittacosis) | Neisseria meningitidis, sterile sites (Meningococcal Disease) |
| Chlamydia trachomatis (Genital infections), (LGV) | Orthopox viruses (Smallpox, Monkeypox) |
| Chlamydia trachomatis (Trachoma) | Poliovirus |
| Clostridium botulinum (Botulism) | Plasmodium species (Malaria) |
| Clostridium tetani (Tetanus) | Rabies virus |
| Coccidioides immitis (Coccidioidomycosis) | Reye's Syndrome |
| Corynebacterium diphtheriae (Diphtheria) | Rheumatic fever |
| Coxiella burnetii (Q Fever) | Rickettsia rickettsii (Rocky Mountain Spotted Fever) |
| Cryptococcus neoformans | Rickettsia species (Typhus Group) |
| Cryptosporidium species | Rubella virus |
| Cyclospora species | Salmonella species |
| Dengue virus | Salmonella typhi (Typhoid Fever) |
| Ehrlichia species | Severe Acute Respiratory Syndrome (SARS) |
| Encephalitis, viral | Shigella species |
| California serogroup | Spongiform Encephalopathy (Includes CJD) |
| Eastern Equine | Staphylococcus aureus, vancomycin intermediate/resistant (VISA/VRSA) |
| Powassan | Staphylococcus aureus, (MRSA), outbreaks only |
| St. Louis | Streptococcus pyogenes, group A, sterile sites |
| Western Equine | Streptococcus pneumoniae, sterile sites, susceptible/resistant |
| West Nile | Toxic Shock Syndrome |
| Unspecified | Treponema pallidum (Syphilis) |
| Entamoeba histolytica (Amebiasis) | Trichinella spiralis (Trichinosis) |
| Escherichia coli, O157:H7 and all other shiga toxin positive serotypes | Varicella (Chickenpox) |
| Francisella tularensis (Tularemia) | Vibrio cholerae (Cholera) |
| Giardia lamblia | Yellow fever virus |
| Guillain-Barre Syndrome | Yersinia enterocolitica |
| Haemophilus ducreyi (Chancroid) | Yersinia pestis (Plague) |
| Haemophilus influenzae, <15 years of age, sterile site | <i>Unusual occurrence, outbreak or epidemic of any disease or condition</i> |
| Hantavirus | |
| Hemolytic Uremic Syndrome (HUS) | |
| Hemorrhagic fever viruses | |
| Hepatitis, viral | |
| Hepatitis A virus, (Anti-HAV IgM) | |
| Hepatitis B virus, (HBsAg) | |
| <i>within 24 hours on pregnant women</i> | |
| Hepatitis C virus, (Anti-HCV) | |
| Hepatitis, non-ABC | |
| Histoplasma capsulatum | |
| HIV, (Confirmed positive HIV serology and detection tests; CD4 counts/percents and all viral loads on people already known to be infected) | |
| Influenza virus (Weekly aggregate counts) | |
| Kawasaki Disease | |

LEGEND

Green Bold Text = An isolate or serum sample, where appropriate, is to be submitted to MDCH or other laboratory designated by MDCH. Confirmed positive HIV diagnostic sera are to be submitted for incidence testing.

Report All Listed Conditions to the Local Health Department (see reverse)
This reporting is expressly allowed under HIPAA
Communicable Disease Rules: R 325.171, 172, 173