

**NOTICE OF LETTING OF DRAIN CONTRACT AND DAY OF REVIEW OF
APPORTIONMENTS FOR THE TERRITORIAL ROAD DRAIN
CHARTER TOWNSHIP OF YORK, WASHTENAW COUNTY**

The following notice gives information on acceptance of bids for construction work on the Territorial Road Drain and assessments for the cost of the construction. I, Janis A. Bobrin, Washtenaw County Water Resources Commissioner, will accept bids for construction work on the Territorial Road Drain, as explained below until 10:00 A.M. on the 28th of September, 2011. Property owners and other interested parties may review the apportionment and computation of the costs for this project at the Office of the Water Resources Commissioner on the 5th of October, 2011 from 9:00 A.M. to 5:00 P.M.

Please call the Water Resources Commissioner's Office at (734) 222-6860 for clarification of this notice or if you need additional information.

Information on Bid Letting

Sealed bids will be received on the 28th of September, 2011 until 10:00 A.M. 705 North Zeeb Road, 2nd Floor, Ann Arbor, Michigan, at which time the bids will be opened and publicly announced. Following is a brief description of the project:

Project Description: The work shall consist of, but not be limited to, the following:

The Drain project area is divided into two (2) sections as follows, each section having the length, average depth and width as set forth herein:

Section No. 1 - Beginning at station number 75+48 and extending to station number 77+17, a distance of 169 feet, and having an average depth of 3 feet and bottom width of 15 feet.

Section No. 2 - Beginning at station number 68+69 and extending to station number 75+48, a distance of 679 feet of enclosed pipe.

All stations are 100 feet apart.

In the construction on the Drain, the following quantities for tile or pipe will be necessary and contracts will be let for same. The following quantities are approximate and final payment will be made on measured quantities.

Estimated Quantity	Unit	Description
623	LF	36-inch Perforated PFE Pipe
55	LF	36-inch RCP, CLIII
16	LF	Storm Sewer, 12-inch RCP, C-76, Class III
1	EA	End Section, 36-inch, Concrete

There will be one culvert constructed as part of the project. The following quantities and information are approximate.

Location of Culvert	Type of Culvert	Size of Culvert
Station 72+50	Corrugated Metal Pipe	30 inches

Bids will be made and received in accordance with plans, proposal forms and specifications available to prospective bidders at River City Reproductions: 4039 40th Street SE, Unit 1, Grand Rapids, Michigan 49512, (616) 464-1220 or www.ftch.com, for a non-refundable reproduction charge of \$30.00 plus shipping (if applicable). Plans may also be viewed at Fishbeck, Thompson, Carr & Huber, Inc., 5913 Executive Drive, Suite 100, Lansing, Michigan 48911, (517) 882-0383, and 39255 Country Club Drive, Suite B-25, Farmington Hills, Michigan 48331, (248) 324-2090; Builder's Exchanges: Lansing; McGraw-Hill Dodge: Lansing, Detroit; The Plan Room, Ann Arbor and the Washtenaw County Water Resources Commissioner's Office, 705 North Zeeb Road, 2nd Floor, Ann Arbor, MI 48103, (734) 222-6860.

The lowest responsible bidder giving adequate security for the performance of the work will be awarded the contract. I reserve the right to reject any and all bids, and if no satisfactory sealed bids are received, I reserve the right to proceed immediately after the rejection of sealed bids and without further notice to let the contracts by open bidding, likewise reserving the right to reject any and all bids and to adjourn the letting to a time and place as shall be publicly announced.

In the event the County receives two or more bids from responsive, responsible bidders, one or more of whom are Washtenaw County vendors and the bids are substantially equal in price, quality and service, the County shall award the contract to the most responsive, responsible Washtenaw County vendor. For purposes of this section, Washtenaw County vendor means a company which has maintained its principal office in Washtenaw County for at least six (6) months. Maintaining a Washtenaw County P.O. Box is not, in and of itself, sufficient to establish a company as a Washtenaw County vendor. The County shall have sole discretion under this section to determine if a company qualifies as a Washtenaw County vendor and if two or more bids are substantially equal.

The date for the completion of the contract and the terms of payment shall and will be announced at the time and place of letting. Any person wishing to bid on the above work will be required to deposit with the Water Resources Commissioner a certified check or its equivalent in the amount of 5% of the bid total as guarantee that s/he will enter into contract and furnish the required bonds as required by law. The checks of all unsuccessful bidders will be returned after a contract is awarded. All bids must be made on bidding forms supplied by the Water Resources Commissioner's Office. All bids shall be by unit prices specified or lump sum. Payment will be made in accordance with the contract documents.

Information on Review of Apportionments

Notice is hereby given to you, as a person liable for an assessment, that the apportionment of costs for the above work and the lands comprising the Territorial Road Assessment District will be available for review on the 5th of October, 2011 from 9:00 A.M. to 5:00 P.M. at the Washtenaw County Water Resources Commissioner's Office, 705 North Zeeb Road, 2nd Floor, Ann Arbor, Michigan. At the meeting to review the apportionment of benefits, the computation of costs for the project along with the tentative apportionments against parcels and municipalities within the drainage district will be available for review by interested persons.

Drain assessments against land will be collected in the same manner as property taxes and will appear annually on your winter tax bill for the duration of this debt. Drain assessments collected in installments may be paid in full, including any interest due to date, at any time during the duration of the debt to avoid further interest charges.

The following is a description of the lands constituting the Territorial Road Drain Special Assessment District:

ALL THAT LAND LOCATED IN SECTIONS 27, 28, 33 AND 34, TOWN 4 SOUTH, RANGE 6 EAST, YORK TOWNSHIP, WASHTENAW COUNTY, MICHIGAN, BOUNDED BY A LINE DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF SECTION 28, T4S, R6E; THENCE ALONG THE EAST LINE OF SAID SECTION 28, NORTH 02°05'00" WEST 680.64 FEET; THENCE NORTH 53°12'20" WEST 1240.36 FEET; THENCE NORTH 69°29'19" WEST 766.67 FEET; THENCE SOUTH 87°09'16" WEST 762.45 FEET; THENCE NORTH 13°22'57" EAST 214.29 FEET; THENCE NORTH 45°02'24" EAST 199.25 FEET; THENCE NORTH 31°16'10" EAST 595.78 FEET; THENCE NORTH 20°51'06" EAST 49.03 FEET TO THE EAST-WEST 1/4 LINE OF SAID SECTION 28; THENCE NORTH 20°51'06" EAST 592.13 FEET; THENCE NORTH 14°13'19" WEST 208.64 FEET; THENCE NORTH 18°08'47" EAST 166.23 FEET; THENCE NORTH 19°03'08" WEST 417.09 FEET; THENCE SOUTH 49°47'08" WEST 149.19 FEET; THENCE SOUTH 86°25'25" WEST 293.47 FEET; THENCE NORTH 04°56'21" WEST 372.08 FEET; THENCE NORTH 23°37'46" EAST 79.92 FEET; THENCE NORTH 13°26'55" WEST 216.45 FEET; THENCE NORTH 10°09'48" EAST 152.41 FEET; THENCE NORTH 73°13'33" EAST 223.12 FEET; THENCE NORTH 14°37'18" EAST 141.23 FEET; THENCE SOUTH 63°00'45" EAST 122.45 FEET; THENCE NORTH 73°44'21" EAST 122.02 FEET; THENCE SOUTH 40°42'43" EAST 257.88 FEET; THENCE SOUTH 40°25'59" EAST 304.26 FEET; THENCE SOUTH 01°47'48" EAST 200.23 FEET; THENCE SOUTH 66°02'15" EAST 90.01 FEET; THENCE SOUTH 87°45'15" EAST 74.96 FEET; THENCE NORTH 61°38'26" EAST 196.66 FEET; THENCE SOUTH 86°58'53" EAST 122.67 FEET; THENCE SOUTH 00°26'55" EAST 262.83 FEET; THENCE SOUTH 15°18'36" EAST 225.46 FEET; THENCE SOUTH 43°14'22" EAST 213.83 FEET; THENCE SOUTH 26°12'22" EAST 201.25 FEET; THENCE SOUTH 50°06'45" EAST 192.61 FEET; THENCE SOUTH 08°38'33" EAST 232.23 FEET; THENCE SOUTH 48°49'01" EAST 205.76 FEET; THENCE SOUTH 19°10'35" EAST 229.74 FEET TO THE EAST-WEST 1/4 LINE OF SAID SECTION 28; THENCE SOUTH 19°10'35" EAST 71.19 FEET; THENCE SOUTH 47°40'27" EAST 227.49 FEET; THENCE SOUTH 60°03'46" EAST 54.28 FEET TO THE WEST LINE OF SECTION 27, T4S, R6E; THENCE SOUTH 60°03'46" EAST 153.30 FEET; THENCE NORTH 86°06'28" EAST 199.01 FEET; THENCE SOUTH 41°25'49" EAST 186.79 FEET; THENCE NORTH 89°14'24" EAST 405.53 FEET; THENCE SOUTH 84°43'05" EAST 421.54 FEET; THENCE SOUTH 72°06'46" EAST 410.02 FEET; THENCE NORTH 89°56'34" EAST 200.36 FEET; THENCE SOUTH 82°48'15" EAST 201.22 FEET; THENCE NORTH 65°53'06" EAST 221.69 FEET; THENCE SOUTH 79°05'00" EAST 205.63 FEET; THENCE SOUTH 89°17'07" EAST 257.50 FEET TO THE NORTH-SOUTH 1/4 LINE OF SAID SECTION 27; THENCE ALONG SAID NORTH-SOUTH 1/4, SOUTH 01°11'16" EAST 1951.19 FEET TO THE NORTH LINE OF SECTION 34, T4S, R6E; THENCE ALONG THE NORTH LINE OF SAID SECTION 34, NORTH 88°09'17" EAST 483.24 FEET; THENCE SOUTH 01°34'21" EAST 654.52 FEET; THENCE SOUTH 10°16'31" WEST 267.86 FEET; THENCE SOUTH 01°08'57" EAST 413.28 FEET; THENCE SOUTH 18°41'10" EAST 204.49 FEET; THENCE SOUTH 00°32'15" WEST 178.95 FEET; THENCE SOUTH 45°00'00" WEST 84.85 FEET; THENCE NORTH 49°38'26" WEST 125.78 FEET; THENCE NORTH 53°52'33" WEST 113.21 FEET; THENCE SOUTH 45°53'15" WEST 140.64 FEET; THENCE NORTH 82°14'53" WEST 114.59 FEET; THENCE SOUTH 89°53'38" WEST 11.11 FEET TO THE NORTH-SOUTH 1/4 LINE OF SAID SECTION 34; THENCE SOUTH 89°53'38" WEST 118.89 FEET; THENCE SOUTH 71°59'56" WEST 303.15 FEET; THENCE NORTH 44°25'22" WEST 285.16 FEET; THENCE NORTH 15°17'08" WEST 160.86 FEET; THENCE NORTH 04°58'21" WEST 251.49 FEET TO THE CENTERLINE OF MOOREVILLE ROAD; THENCE ALONG SAID CENTERLINE THE FOLLOWING 12 COURSES; THENCE NORTH 81°11'43" WEST 20.32 FEET; THENCE NORTH 81°11'36" WEST 33.90 FEET; THENCE NORTH 81°11'20" WEST 282.68 FEET; THENCE NORTH 80°49'44" WEST 117.14 FEET; THENCE NORTH 78°24'28" WEST 53.35 FEET; THENCE NORTH 76°08'25" WEST 67.75 FEET; THENCE NORTH 74°22'13" WEST 26.69 FEET; THENCE NORTH 73°21'52" WEST 26.69 FEET; THENCE NORTH 72°22'47" WEST 26.69 FEET; THENCE NORTH 71°21'41" WEST 26.69 FEET; THENCE NORTH 70°22'35" WEST 26.68 FEET; THENCE NORTH 69°21'55" WEST 17.25 FEET; THENCE SOUTH 20°13'29" WEST 32.02 FEET; THENCE NORTH 67°48'35" WEST 172.64 FEET; THENCE SOUTH 77°30'00" WEST 121.42 FEET; THENCE NORTH 07°14'25" WEST 70.97 FEET; THENCE NORTH 59°32'37" WEST 340.85 FEET; THENCE NORTH 68°25'38" WEST 122.15 FEET; THENCE NORTH 64°03'06" WEST 673.52 FEET; THENCE NORTH

36°19'05" WEST 64.47 FEET TO THE EAST LINE OF SECTION 33, T4S, R63; THENCE ALONG SAID EAST LINE, NORTH 01°33'04" WEST 283.45 FEET TO THE POINT OF BEGINNING.

TOTAL ACREAGE IN DRAINAGE DISTRICT IS 322.9 ACRES, MORE OR LESS.

Notice is also given to the following counties, townships, cities, villages and state departments to be assessed at large for a portion of the cost of the project:

Charter Township of York
Washtenaw County (for benefit to county roads)

Any property owner in the assessment district who may disagree with the apportionment of benefits made by the Water Resources Commissioner may, within 10 days after the day of review, appeal the apportionment by making an application with the Probate Court of Washtenaw County for appointment of a Board of Review, as provided in Section 155 of the Michigan Drain Code (Act 40 of the Public Acts of Michigan, 1956, as amended).

Prior to filing an appeal, a property owner may appear in person on the Day of Review or file a letter of objection on or prior to the Day of Review with the Office of the Water Resources Commissioner in an attempt to resolve the conflict. We would be happy to discuss your apportionment with you before legal alternatives are sought.

The County of Washtenaw will provide necessary reasonable auxiliary aids and services, such as signers for the hearing impaired and audio tapes of printed materials being considered at the meeting, to individuals with special needs who plan to attend the meeting upon 7 days' notice to the County of Washtenaw Human Resources Department, 220 North Main Street, P.O. Box 8645, Ann Arbor, Michigan 48107-8645 (734) 222-6823 or TDD (734) 994-1733.

Questions regarding this notice should be directed to 734.222.6860.

Dated this 15th of September, 2011

A handwritten signature in cursive script that reads "Janis Bobrin". The signature is written in black ink and is positioned above a horizontal line.

Janis A. Bobrin
Water Resources Commissioner